



## CERTIFICATE OF COMPLIANCE

Certificate Number	CBD0009-2021B-23
Certified Entity	Citrus CBD Industries, inc. dba Peels
Type of Certification	CBD V1
Certified Products	See Certified Product Listing
Identification Marks	Purity Award, Pesticide Free, THC Free
Facility Location(s)	9220 W Sunset Blvd. Suite 210 W. Hollywood, CA 90069
Effective Date	2/23/2021

Ellipse Analytics, upon granting this certification hereby confirms that it has received and reviewed the Operator's contract, application, documentation and test results and has determined that the products identified comply with the Clean Label Project Code of Practice. In its acceptance of certification, the Operator hereby warrants that it is in, and will remain in compliance with the Terms and Condition set forth by contractual agreements and the requirements established in the Clean Label Project: Code of Practice. This annual certificate is only valid when accompanied by the Product Listing and shall be renewed on an annual basis to ensure ongoing compliance with the Clean Label Project Code of Practice.

Clean Label Project  
280 E. 1st Ave. #873 Broomfield, CO 80038-0873  
[info@cleanlabelproject.org](mailto:info@cleanlabelproject.org)



February 22, 2021

**CLEAN LABEL PROJECT**

280 E. 1st Ave. #873  
Broomfield, CO 80338-0873

Order No. 520400  
Sample No. 1073434

**SAMPLE INFORMATION**

Description Peels CBD Tincture  
Lot Number 6000474790  
Category (Type) Non-Inhalable Orally Consumed Concentrate (Tincture)  
Received February 17, 2021

**ANALYTICAL RESULTS**

Analysis Cannabinoid Profile  
Instrument Liquid Chromatography Diode Array Detector (LC-DAD)  
Method MF12D012  
Analysis Date February 17, 2021 to February 22, 2021

Cannabinoid	mg/g	%
Δ8-THC	ND	ND
Δ9-THC	ND	ND
Δ9-THCA	ND	ND
THCV	ND	ND
THCVA	ND	ND
CBD	38.90	3.890
CBDA	ND	ND
CBC	ND	ND
CBCA	ND	ND
CBDV	ND	ND
CBG	ND	ND
CBGA	ND	ND
CBN	ND	ND
Total THC	ND	ND
Total CBD	38.90	3.890
Total Cannabinoids	38.90	3.890
Total Active Cannabinoids	38.90	3.890

Reported by  
**Anresco, Inc.**



Eric Tam  
Senior Chemist

February 22, 2021

Limit of Detection: 0.1332 mg/g  
Limit of Quantitation: 0.4 mg/g  
ND = None Detected  
<LOQ = Below Limit of Quantitation  
<LOD = Below Limit of Detection

If there are any questions with this report, please contact "[compliance@anresco.com](mailto:compliance@anresco.com)".

February 22, 2021

**CLEAN LABEL PROJECT**

280 E. 1st Ave. #873  
 Broomfield, CO 80338-0873

Order No. 520400  
 Sample No. 1073434

**SAMPLE INFORMATION**

**Description** Peels CBD Tincture  
**Lot Number** 6000474790  
**Category (Type)** Non-Inhalable Orally Consumed Concentrate (Tincture)  
**Received** February 17, 2021

**ANALYTICAL RESULTS**

**Analysis** Pesticide Screen Plus ✔ Pass  
**Instrument** Liquid Chromatography Tandem Mass Spectrometry (LC-MS/MS) & Gas Chromatography Tandem Mass Spectrometry (GC-MS/MS)  
**Method** MF 21P030  
**Analysis Date** February 17, 2021 to February 22, 2021

Analyte	LOD/LOQ (ppm)	Findings (ppm)	Limit (ppm)	Status
Abamectin	0.04/0.10	ND	0.3	Pass
Acephate	0.04/0.10	ND	5.0	Pass
Acequinocyl	0.04/0.10	ND	4.0	Pass
Acetamiprid	0.04/0.10	ND	5.0	Pass
Aldicarb	0.04/0.10	ND	0.04	Pass
Azoxystrobin	0.04/0.10	ND	40.0	Pass
Bifenazate	0.04/0.10	ND	5.0	Pass
Bifenthrin	0.20/0.50	ND	0.5	Pass
Boscalid	0.04/0.10	ND	10.0	Pass
Captan	0.25/0.70	ND	5.0	Pass
Carbaryl	0.20/0.50	ND	0.5	Pass
Carbofuran	0.04/0.10	ND	0.04	Pass
Chlorantraniliprole	0.04/0.10	ND	40.0	Pass
Chlordane	0.04/0.10	ND	0.04	Pass
Chlorfenapyr	0.04/0.10	ND	0.04	Pass
Chlorpyrifos	0.04/0.10	ND	0.04	Pass
Clofentezine	0.04/0.10	ND	0.5	Pass
Coumaphos	0.04/0.10	ND	0.04	Pass
Cyfluthrin	0.70/2.00	ND	1.0	Pass
Cypermethrin	0.35/1.00	ND	1.0	Pass
Daminozide	0.04/0.10	ND	0.04	Pass
DDVP (Dichlorovous)	0.04/0.10	ND	0.04	Pass
Diazinon	0.04/0.10	ND	0.2	Pass
Dimethoate	0.04/0.10	ND	0.04	Pass
Dimethomorph	0.04/0.10	ND	20.0	Pass
Ethoprop(hos)	0.04/0.10	ND	0.04	Pass
Etofenprox	0.04/0.10	ND	0.04	Pass
Etoxazole	0.04/0.10	ND	1.5	Pass
Fenhexamid	0.04/0.10	ND	10.0	Pass
Fenoxycarb	0.04/0.10	ND	0.04	Pass
Fenpyroximate	0.04/0.10	ND	2.0	Pass
Fipronil	0.04/0.10	ND	0.04	Pass
Flonicamid	0.04/0.10	ND	2.0	Pass

If there are any questions with this report, please contact "[compliance@anresco.com](mailto:compliance@anresco.com)".

Analyte	LOD/LOQ (ppm)	Findings (ppm)	Limit (ppm)	Status
Fludioxanil	0.04/0.10	ND	30.0	Pass
Hexythiazox	0.04/0.10	ND	2.0	Pass
Imazalil	0.04/0.10	ND	0.04	Pass
Imidacloprid	0.04/0.10	ND	3.0	Pass
Kresoxim Methyl	0.04/0.10	ND	1.0	Pass
Malathion	0.20/0.50	ND	5.0	Pass
Metalaxyl	0.04/0.10	ND	15.0	Pass
Methiocarb	0.04/0.10	ND	0.04	Pass
Methomyl	0.04/0.10	ND	0.1	Pass
Methyl parathion	0.04/0.10	ND	0.04	Pass
Mevinphos	0.04/0.10	ND	0.04	Pass
Myclobutanil	0.04/0.10	ND	9.0	Pass
Naled	0.04/0.10	ND	0.5	Pass
Oxamyl	0.04/0.10	ND	0.2	Pass
Pacllobutrazol	0.04/0.10	ND	0.04	Pass
Pentachloronitrobenzene	0.04/0.10	ND	0.2	Pass
Permethrins	0.20/0.50	ND	20.0	Pass
Phosmet	0.04/0.10	ND	0.2	Pass
Piperonyl Butoxide	0.04/0.10	ND	8.0	Pass
Prallethrin	0.04/0.10	ND	0.4	Pass
Propiconazole	0.04/0.10	ND	20.0	Pass
Propoxur	0.04/0.10	ND	0.04	Pass
Pyrethrins	0.20/0.50	ND	1.0	Pass
Pyridaben	0.04/0.10	ND	3.0	Pass
Spinetoram	0.04/0.10	ND	3.0	Pass
Spinosad	0.04/0.10	ND	3.0	Pass
Spiromesifen	0.04/0.10	ND	12.0	Pass
Spirotetramat	0.04/0.10	ND	13.0	Pass
Spiroxamine	0.04/0.10	ND	0.04	Pass
Tebuconazole	0.04/0.10	ND	2.0	Pass
Thiacloprid	0.04/0.10	ND	0.04	Pass
Thiamethoxam	0.35/1.00	ND	4.5	Pass
Trifloxystrobin	0.04/0.10	ND	30.0	Pass
Acetochlor	0.04-0.20 / 0.1-0.5	ND	-	-
Alachlor	0.04-0.20 / 0.1-0.5	ND	-	-
Aldicarb Sulfone	0.04-0.20 / 0.1-0.5	ND	-	-
Aldicarb sulfoxide*	0.04-0.20 / 0.1-0.5	ND	-	-
Aldrin*	0.04-0.20 / 0.1-0.5	ND	-	-
Atrazine	0.04-0.20 / 0.1-0.5	ND	-	-
Benfluralin	0.04-0.20 / 0.1-0.5	ND	-	-
BHC alpha	0.04-0.20 / 0.1-0.5	ND	-	-
BHC beta	0.04-0.20 / 0.1-0.5	ND	-	-
Bitertanol	0.04-0.20 / 0.1-0.5	ND	-	-
Buprofezin	0.04-0.20 / 0.1-0.5	ND	-	-
Carbendazim (MBC)	0.04-0.20 / 0.1-0.5	ND	-	-
Carfentrazone ethyl	0.04-0.20 / 0.1-0.5	ND	-	-
Chlorobenzilate	0.04-0.20 / 0.1-0.5	ND	-	-
Chlorotoluron	0.04-0.20 / 0.1-0.5	ND	-	-
Chlorpropham	0.04-0.20 / 0.1-0.5	ND	-	-

If there are any questions with this report, please contact "[compliance@anresco.com](mailto:compliance@anresco.com)".

Analyte	LOD/LOQ (ppm)	Findings (ppm)	Limit (ppm)	Status
Chlorpyrifos methyl	0.04-0.20 / 0.1-0.5	ND	-	-
Chlorthiophos	0.04-0.20 / 0.1-0.5	ND	-	-
Clethodim	0.04-0.20 / 0.1-0.5	ND	-	-
Clomazone	0.04-0.20 / 0.1-0.5	ND	-	-
Clothianidin	0.04-0.20 / 0.1-0.5	ND	-	-
Cyazofamid*	0.04-0.20 / 0.1-0.5	ND	-	-
Cymoxanil*	0.04-0.20 / 0.1-0.5	ND	-	-
Cyprodinil*	0.04-0.20 / 0.1-0.5	ND	-	-
Cyromazine	0.04-0.20 / 0.1-0.5	ND	-	-
DCPA (Dacthal)	0.04-0.20 / 0.1-0.5	ND	-	-
Diallate	0.04-0.20 / 0.1-0.5	ND	-	-
Dieldrin	0.04-0.20 / 0.1-0.5	ND	-	-
Diflubenzuron	0.04-0.20 / 0.1-0.5	ND	-	-
Dimethachlor	0.04-0.20 / 0.1-0.5	ND	-	-
Diniconazole	0.04-0.20 / 0.1-0.5	ND	-	-
Dinotefuran	0.04-0.20 / 0.1-0.5	ND	-	-
Diphenamid	0.04-0.20 / 0.1-0.5	ND	-	-
Diphenylamine (DPA)	0.04-0.20 / 0.1-0.5	ND	-	-
Diuron	0.04-0.20 / 0.1-0.5	ND	-	-
Esfenvalerate	0.04-0.20 / 0.1-0.5	ND	-	-
Ethalfuralin	0.04-0.20 / 0.1-0.5	ND	-	-
Ethylan	0.04-0.20 / 0.1-0.5	ND	-	-
Etridazole*	0.04-0.20 / 0.1-0.5	ND	-	-
Fenarimol	0.04-0.20 / 0.1-0.5	ND	-	-
Fenbuconazole	0.04-0.20 / 0.1-0.5	ND	-	-
Fenpropimorph	0.04-0.20 / 0.1-0.5	ND	-	-
Fenthion	0.04-0.20 / 0.1-0.5	ND	-	-
Fenvalerate	0.04-0.20 / 0.1-0.5	ND	-	-
Fluazifop-P-butyl	0.04-0.20 / 0.1-0.5	ND	-	-
Flubendiamide	0.04-0.20 / 0.1-0.5	ND	-	-
Fluchloralin	0.04-0.20 / 0.1-0.5	ND	-	-
Flucythrinate	0.04-0.20 / 0.1-0.5	ND	-	-
Fluoxastrobin	0.04-0.20 / 0.1-0.5	ND	-	-
Flusilazole	0.04-0.20 / 0.1-0.5	ND	-	-
Flutolanil	0.04-0.20 / 0.1-0.5	ND	-	-
Flutriafol	0.04-0.20 / 0.1-0.5	ND	-	-
Fonofos*	0.04-0.20 / 0.1-0.5	ND	-	-
Formetanate Hydrochloride	0.04-0.20 / 0.1-0.5	ND	-	-
Heptachlor	0.04-0.20 / 0.1-0.5	ND	-	-
Hexachlorobenzene	0.04-0.20 / 0.1-0.5	ND	-	-
Hexaconazole	0.04-0.20 / 0.1-0.5	ND	-	-
Hexazinone	0.04-0.20 / 0.1-0.5	ND	-	-
3-Hydroxycarbofuran	0.04-0.20 / 0.1-0.5	ND	-	-
Indoxacarb*	0.04-0.20 / 0.1-0.5	ND	-	-
Isazophos	0.04-0.20 / 0.1-0.5	ND	-	-
Isopropalin	0.04-0.20 / 0.1-0.5	ND	-	-
Isoproturon	0.04-0.20 / 0.1-0.5	ND	-	-
Lindane	0.04-0.20 / 0.1-0.5	ND	-	-
Linuron*	0.04-0.20 / 0.1-0.5	ND	-	-

If there are any questions with this report, please contact "[compliance@anresco.com](mailto:compliance@anresco.com)".

Analyte	LOD/LOQ (ppm)	Findings (ppm)	Limit (ppm)	Status
Mandipropamid	0.04-0.20 / 0.1-0.5	ND	-	-
Methamidophos	0.04-0.20 / 0.1-0.5	ND	-	-
Methoxychlor*	0.04-0.20 / 0.1-0.5	ND	-	-
4-4'-Methoxychlor olefin	0.04-0.20 / 0.1-0.5	ND	-	-
Methoxyfenozide	0.04-0.20 / 0.1-0.5	ND	-	-
Metolachlor	0.04-0.20 / 0.1-0.5	ND	-	-
MGK 264*	0.04-0.20 / 0.1-0.5	ND	-	-
Mirex*	0.04-0.20 / 0.1-0.5	ND	-	-
Novaluron	0.04-0.20 / 0.1-0.5	ND	-	-
Thiabendazole*	0.04-0.20 / 0.1-0.5	ND	-	-
Omethoate*	0.04-0.20 / 0.1-0.5	ND	-	-
Oxadiazon	0.04-0.20 / 0.1-0.5	ND	-	-
Oxyflourfen	0.04-0.20 / 0.1-0.5	ND	-	-
Parathion	0.04-0.20 / 0.1-0.5	ND	-	-
Pebulate*	0.04-0.20 / 0.1-0.5	ND	-	-
Penconazole	0.04-0.20 / 0.1-0.5	ND	-	-
Pendimethalin	0.04-0.20 / 0.1-0.5	ND	-	-
Pentachloroaniline	0.04-0.20 / 0.1-0.5	ND	-	-
Pentachloroanisole	0.04-0.20 / 0.1-0.5	ND	-	-
Pentachlorobenzene	0.04-0.20 / 0.1-0.5	ND	-	-
Pentachlorobenzonitrile	0.04-0.20 / 0.1-0.5	ND	-	-
2-Phenylphenol	0.04-0.20 / 0.1-0.5	ND	-	-
Pirimicarb	0.04-0.20 / 0.1-0.5	ND	-	-
Pirimiphos-ethyl	0.04-0.20 / 0.1-0.5	ND	-	-
Pirimiphos methyl	0.04-0.20 / 0.1-0.5	ND	-	-
Pretilachlor	0.04-0.20 / 0.1-0.5	ND	-	-
Prochloraz*	0.04-0.20 / 0.1-0.5	ND	-	-
Procymidone	0.04-0.20 / 0.1-0.5	ND	-	-
Propamocarb	0.04-0.20 / 0.1-0.5	ND	-	-
Propargite	0.04-0.20 / 0.1-0.5	ND	-	-
Propisochlor	0.04-0.20 / 0.1-0.5	ND	-	-
Propyzamide	0.04-0.20 / 0.1-0.5	ND	-	-
Prothiofos	0.04-0.20 / 0.1-0.5	ND	-	-
Pymetrozine	0.04-0.20 / 0.1-0.5	ND	-	-
Pyraclostrobin	0.04-0.20 / 0.1-0.5	ND	-	-
Pyrimethanil	0.04-0.20 / 0.1-0.5	ND	-	-
Pyriproxyfen	0.04-0.20 / 0.1-0.5	ND	-	-
Quinalphos	0.04-0.20 / 0.1-0.5	ND	-	-
Quintozene	0.04-0.20 / 0.1-0.5	ND	-	-
Sulfentrazone	0.04-0.20 / 0.1-0.5	ND	-	-
Sulfotep	0.04-0.20 / 0.1-0.5	ND	-	-
Tau-Fluvalinate	0.04-0.20 / 0.1-0.5	ND	-	-
Tebufenozide	0.04-0.20 / 0.1-0.5	ND	-	-
Tecnazene	0.04-0.20 / 0.1-0.5	ND	-	-
Tefluthrin	0.04-0.20 / 0.1-0.5	ND	-	-
Terbutylazine	0.04-0.20 / 0.1-0.5	ND	-	-
Tetrachloroaniline	0.04-0.20 / 0.1-0.5	ND	-	-
Tetradifon	0.04-0.20 / 0.1-0.5	ND	-	-
Thiobencarb	0.04-0.20 / 0.1-0.5	ND	-	-

If there are any questions with this report, please contact "[compliance@anresco.com](mailto:compliance@anresco.com)".

Analyte	LOD/LOQ (ppm)	Findings (ppm)	Limit (ppm)	Status
Tolclofos-methyl	0.04-0.20 / 0.1-0.5	ND	-	-
Transfluthrin	0.04-0.20 / 0.1-0.5	ND	-	-
Triadimefon	0.04-0.20 / 0.1-0.5	ND	-	-
Triallate	0.04-0.20 / 0.1-0.5	ND	-	-
Trichlorfon	0.04-0.20 / 0.1-0.5	ND	-	-
Tricyclazole	0.04-0.20 / 0.1-0.5	ND	-	-
Triflumizole	0.04-0.20 / 0.1-0.5	ND	-	-
Trifluralin	0.04-0.20 / 0.1-0.5	ND	-	-
Vamidothion	0.04-0.20 / 0.1-0.5	ND	-	-
Vinclozolin	0.04-0.20 / 0.1-0.5	ND	-	-

Reported by  
**Anresco, Inc.**

ND = None Detected



Eric Tam  
 Senior Chemist

February 22, 2021

If there are any questions with this report, please contact "[compliance@anresco.com](mailto:compliance@anresco.com)".



February 22, 2021

**CLEAN LABEL PROJECT**

280 E. 1st Ave. #873  
Broomfield, CO 80338-0873

Order No. 520400  
Sample No. 1073434

## SAMPLE INFORMATION

Description Peels CBD Tincture  
Lot Number 6000474790  
Category (Type) Non-Inhalable Orally Consumed Concentrate (Tincture)  
Received February 17, 2021

## ANALYTICAL RESULTS

Analysis Heavy Metals  
Instrument Inductively Coupled Plasma Mass Spectrometry (ICP-MS)  
Method MF 24E020  
Analysis Date February 17, 2021 to February 22, 2021

Analyte	LOD/LOQ (µg/g)	Findings (µg/g)	Limit (µg/g)	Status
Arsenic	0.02/0.05	ND	1.5	Pass
Cadmium	0.02/0.05	ND	0.5	Pass
Mercury	0.02/0.05	ND	3	Pass
Lead	0.02/0.05	ND	0.5	Pass

Reported by  
**Anresco, Inc.**

ND = None Detected



Eric Tam  
Senior Chemist

February 22, 2021

If there are any questions with this report, please contact "[compliance@anresco.com](mailto:compliance@anresco.com)".

February 22, 2021

**CLEAN LABEL PROJECT**

280 E. 1st Ave. #873  
Broomfield, CO 80338-0873

Order No. 520400  
Sample No. 1073434

**SAMPLE INFORMATION**

**Description** Peels CBD Tincture  
**Lot Number** 6000474790  
**Category (Type)** Non-Inhalable Orally Consumed Concentrate (Tincture)  
**Received** February 17, 2021

**ANALYTICAL RESULTS**

**Analysis** Residual Solvent Screen ✔ Pass  
**Instrument** Gas Chromatography Mass Spectrometry (GC/MS)  
**Method** USP OVI<467>  
**Analysis Date** February 17, 2021 to February 22, 2021

Analyte	LOD/LOQ (ppm)	Findings (ppm)	Limit (ppm)	Status
1,2-Dichloroethane	0.1/1	ND	1	Pass
Acetone	50/150	ND	5000	Pass
Acetonitrile	4/12	ND	410	Pass
Benzene	0.1/1	ND	1	Pass
n-Butane	48/160	ND	5000	Pass
Chloroform	0.1/1	ND	1	Pass
Ethanol	67/200	ND	5000	Pass
Ethyl acetate	27/80	ND	5000	Pass
Ethyl ether	17/50	ND	5000	Pass
Ethylene oxide	0.5/1	ND	1	Pass
n-Heptane	1/4	ND	5000	Pass
n-Hexane	2/10	ND	290	Pass
Isopropyl alcohol	33/100	ND	5000	Pass
Methanol	50/150	ND	3000	Pass
Methylene chloride	0.5/1	ND	1	Pass
n-Pentane	2/6	ND	5000	Pass
Propane	10/33	ND	5000	Pass
Toluene	10/30	ND	890	Pass
Total xylenes (ortho-, meta-, para-)	30/90	ND	2170	Pass
Trichloroethylene	0.1/1	ND	1	Pass

Reported by  
**Anresco, Inc.**

ND = None Detected




Jordean Vargas  
Analyst

February 22, 2021

If there are any questions with this report, please contact "[compliance@anresco.com](mailto:compliance@anresco.com)".